



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector 10-A, Gandhinagar 382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

BY R/PAD

AMENDMENT OF CONSOLIDATED CONSENT AND AUTHORIZATION (C C & A)

NO: PC/CCA-VRD -257(4)/ GPCB ID-22811/ 21 37 94

Date: - 19 /05/2014

✓
M/S AMI LIFESCIENCES PVT. LIMITED (ID-22811),
BLOCK NO-82/B, VILL-KHARKHADI,
ECP ROAD,
KHARKHADI -391450,
TA-PADRA, DIST-VADODARA

Sub: - Amendment of Consolidated Consent and Authorization (CC& A) of this Board under the provision the Water (Prevention and Control of Pollution) Act-1981, the air Prevention and Control of Pollution) 1981 and the Hazardous Waste (Management, Handling & Trans boundary Movement) Rules 2008 framed under the Environmental (Protection) Act-1986.

- Ref: -
- 1.Consent Order No.AWH-57329 dated 26/09/2013 and validity up to 01/07/2018 issued vide letter No GPCB /CCA-VRD -257(3)/ ID-22811/162638 dated 15/10/2013 and correction order issued vide letter No GPCB /CCA-VRD -257(3)/ ID-22811/167080 dated 04/12/2013.
 2. CTE- Amendment Order No.53885 issued vide letter No GPCB /CCA-VRD -257(3)/ ID-22811/146680 dated 13/05/2013.
 3. Your CCA- Amendment application inward no: 76379 dated. 23/01/2014.

The Board has granted Consolidated No.AWH-57329 dated 26/09/2013 and validity up to 01/07/2018 issued vide letter No GPCB /CCA-VRD -257(3)/ ID-22811/162638 dated 15/10/2013 and correction order issued vide letter No GPCB /CCA-VRD -257(3)/ ID-22811/167080 dated 04/12/2013 is amended as under.

1. The above referred CC&A orders are amended as order No: **W-62011** and issued dated 26/03/2014 and validity period is up to **01/07/2018**.
2. The consent shall be valid up to **01/07/2018** for use of outlet for the discharge of treated effluent and emission due to operation of industrial plant for manufacture of the following proposal items / products: The proposed additional products to be manufacture are as below:

Sr. No	PRODUCT	QUANTITY (MT/M)
1.	Itopide HCL	5.0
2.	Venlafaxine	1.0
3.	Rutin	10.0
4.	Acebrophylline	3.0
5.	Tapentadol hydrochloride	1.0
6.	Diacerein	4.0
7.	Betahistine Dihydrochloride	2.5
8.	Quercitrin	0.95

3. SPECIFIC CONDITIONS:

3.1 The project proponent shall not start any construction /project enabling activities unless and until all requisite prior permissions/ Clearance are obtained.

3.2 You shall not carry out any activities that may attract the provisions of the EIA Notification – 2006.

4. CONDITIONS UNDER WATER ACT 1974:

4.1 There shall be no additional generated and disposal of industrial waste water from the manufacturing process and other ancillary industrial operation.

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

5. CONDITIONS UNDER AIR ACT 1981:

- 5.1 There shall be no additional use of fuel hence there shall be no flue gas emission from the manufacturing process and other ancillary industrial operation.
- 5.2 There shall be no additional process emission from the manufacturing process and other ancillary industrial operation.
6. In addition to condition No: 5.2 of above refereed order, the waste generated shall be disposed off in accordance with the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008 and unit shall have to obtain authorization of the Board for all applicable categories of Hazardous wastes:
- i) ETP Waste (Cat 34.3): 5.50 MT/year: Collection, Storage, Transportation, And Disposal at at common TSDF.
 - ii) Spent Carbon (cat 28.52): 2.78 MT/year: Collection, Storage, Transportation, and Disposal by incineration at CHWI Site.
 - iii) Distillation Residue (Cat 36.4): 2.48 MT/Year: Collection, Storage, Transportation, Disposal by incineration at CHWI Site.
 - iv) Discarded containers/Carboys/ Lined paper/LDPE bags (Cat-33.3) – 15600 nos /Year-Collection, storage, and Disposal by selling out to authorize re-cyclers.
 - v) Spent Solvent (Cat.-28.5): 494 MT/year- Collection, Storage, recovered through in house distillation and reuse in the manufacturing process.
 - vi) Used oil (Cat-5.1) –0.1 MT/Year - Collection, storage and Transportation, Disposal by selling out to registered reprocessors.
7. The other conditions of The Consolidated Consent CC & A) order no: No.AWH-57329 dated 26/09/2013 and validity up to 01/07/2018 issued vide letter No GPCB /CCA-VRD -257(3)/ ID-22811/162638 dated 15/10/2013 and correction order issued vide letter No GPCB /CCA-VRD -257(3)/ ID-22811/167080 dated 04/12/2013 are shall remain unchanged.
8. You are directed to comply these conditions judiciously.

For and on behalf of
Gujarat Pollution Control Board



(M.V.PATEL)
Environmental Engineer



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector 10-A, Gandhinagar 382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

By RPAD

AMENDMENT OF CONSOLIDATED CONSENT AND AUTHORIZATION (C C & A)

No. GPCB /CCA-VRD-257(3)/ ID 22811/

167050

Date: 04 /12/2013

To,

M/S AMI LIFESCIENCES PVT. LIMITED (ID-22811).
BLOCK NO-82/B, VILL-KHARKHADI,
ECP ROAD,
KHARKHADI -391450,
TA-PADRA, DIST-VADODARA

Sub - Amendment of Consolidated Consent and Authorization (CC & A) of this Board under the provision the Water (Prevention and Control of Pollution) Act-1981, the air Prevention and Control of Pollution) 1981 and the Hazardous Waste (Management, Handling & Trans boundary Movement) Rules 2008 framed under the Environmental (Protection) Act-1986.

Ref - 1. Consent Order No. AWH-57329 dated 26/09/2013 and its validity up to 01/07/2018 issued vide letter No: PC/CCA – VRD – 257(3)/ID-22811 /162638 dated 15/10/2013.

1. The Board has granted Consolidated Consent Order No. AWH-57329 dated 26/09/2013 and its validity up to 01/07/2018 issued vide letter No: PC/CCA – VRD – 257(3)/ID-22811 /162638 dated 15/10/2013 is amended as under.
2. The consent under Water Act -1974 for the treatment and disposal of treated effluent and the consent under Air Act-1981, and Authorization under the Hazardous Waste (Management, Handling and Transboundary Movement) Rules'2008 under Environment (Protection) Act-1986 shall be valid up to 01/07/2018 to operate industrial plant for manufacture of the following items / products at BLOCK NO-82/B, VILL-KHARKHADI, ECP ROAD, KHARKHADI -391450, TA-PADRA, DIST-VADODARA read as under .

Sr. No.	Name of Product	Capacity, MT/Month
1.	1- Acetyl Naphthalene	2.0
2.	2- Acetyl Naphthalene	1.0
3.	Itopride HCl	6.0
4.	Loxapine Succinate	1.2
5.	Amoxapine	0.3
6.	Venlafaxine	6.0
7.	Progunit HCl	6.0
8.	CB-2-L-Valine	6.0
9.	Nateglinide	0.6
10.	Quetiapine	0.6
11.	Carbomazepin	24.0
12.	OxaCarbomazepin	12.0

INSTEAD OF

Sr. No	PRODUCT	QUANTITY (MT/M)
1.	Itopide HCL	5.0
2.	Venlafaxine	1.0
3.	Rutin	10.0
4.	Acebrophylline	3.0
5.	Tapentadol hydrochloride	1.0
6.	Diaceroin	4.0
7.	Betahistine Dihydrochloride	2.5
8.	Quercitrin	0.95

3. In condition no 5.2 of Authorization For the [Management, Handling & Transboundary Movement] of Hazardous Wastes Form-2 (See rule 5 (4) Form for grant of authorization for occupier or operator handling hazardous waste rule, 2008 read as under

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation



GUJARAT POLLUTION CONTROL BOARD PARYAVARAN BHAVAN

Sector 10-A, Gandhinagar 382010

Phone : (079) 23226295
Fax : (079) 23232156
website : www.gpcb.gov.in

By R.P.A.D.
In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 5(4) of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules'2008 & as amended from time to time framed under the Environment (Protection) Act-1986.

And whereas Board has received consolidated consent application Inward I.D.NO. 68880 dated 02/07/2013 for Consolidated Consent and Authorization (CC & A-RENEWAL) of this Board under the provisions/rules of the aforesaid acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

To,

**M/S AMI LIFESCIENCES PVT. LIMITED (ID-22811),
BLOCK NO-82/B, VILL-KHARKHADI,
ECP ROAD,
KHARKHADI -391450,
TA-PADRA, DIST-VADODARA**

1. Consent Order No: AWH-57329 date of Issue: 26/09/2013.

The consent under Water Act -1974 for the treatment and disposal of treated effluent and the consent under Air Act-1981, and Authorization under the Hazardous Waste (Management, Handling and Transboundary Movement) Rules'2008 under Environment (Protection) Act-1986 shall be valid up to 01/07/2018 to operate industrial plant for manufacture of the following items / products at BLOCK NO-82/B, VILL-KHARKHADI, ECP ROAD, KHARKHADI - 391450, TA-PADRA, DIST-VADODARA.

Sr. No	PRODUCT	QUANTITY (MT/M)
1.	Itopide HCL	5.0
2.	Venlafaxine	1.0
3.	Rutin	10.0
4.	Acebrophylline	3.0
5.	Tapentadol hydrochloride	1.0
6.	Diacerein	4.0
7.	Betahistine Dihydrochloride	2.5
8.	Quercitrin	0.95

2. SPECIFIC CONDITIONS :

2.1 You shall not carry out any activities that may attract the provisions of the EIA Notification – 2006.

2.2 Applicant shall strictly comply with all the conditions stipulated by MOEF.

3. CONDITIONS UNDER THE WATER ACT:

3.1 The quantity of trade effluent from the factory shall not exceed 9.35 K Lit./day .

3.2 The quantity the domestic waste water (sewage) shall not exceed 5.40 K Lit. /day

3.3 TRADE EFFLUENT:

3.3.1 The industrial effluent shall conform to the following standards:

PARAMETERS	CETP INLET NORMS
pH	5 to 9
Temperature	45 ^o C
Colour (pt.co.scale) in units	-
Suspended Solids	600 mg/l
Oil and Grease	20 mg/l

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

PARAMETERS	CETP INLET NORMS
Phenolic Compounds	5 mg/l
Cyanides	0.2 mg/l
Fluorides	2 mg/l
Sulphides	2 mg/l
Ammonical Nitrogen	50 mg/l
Arsenic	0.2 mg/l
Total Chromium	2 mg/l
Hexavalent Chromium	1.0 mg/l
Copper	2 mg/l
Lead	0.2 mg/l
Mercury	0.01 mg/l
Nickle	5 mg/l
Zinc	5 mg/l
Cadmium	2 mg/l
BOD (5 days at 20°C)	500 mg/l
COD	2000 mg/l
Free Ammonia	5 mg/l

- 3.3.2 The final treated effluent conforming to the above standards shall be disposed to CETP of M/S Enviro Infrastructure Co. Ltd, At- Umraya ,Dist-Vadodara through designated tankers of CETP authorities only.
- 3.3.3 Domestic effluent shall be disposed off through septic tank/soak pit system or it shall be treated along with industrial effluent or it shall treat separately to conform to the following standards.

BOD (5 days at 20°C)	Less than 20 mg/l
Suspended Solids	Less than 30 mg/l
Residual Chlorine	Minimum 0.5 ppm

- 3.4 The unit shall install meters for measuring category wise (category as given in Water Cess Act-1977 Schedule II) consumption of water.

4. CONDITIONS UNDER THE AIR ACT:

- 4.1 The following shall be used as fuel in boiler/furnace/heater respectively:

Sr. No.	Fuel	Quantity
1	Coal/Agro waste	5 MT/Day
2.	Diesel	450 lit./day

- 4.2 The applicant shall operate comprehensive adequate air pollution control system already provided in order to achieve norms prescribed below.

- 4.3 The flue gas emission through stack attached to Boiler shall conform to the following standards:

Stack No.	Stack Attached To	Stack Height	APCM	Parameter	Permissible Limit
1	Steam Boiler (2TPH)	30 mts common	Multy Cyclone Separator	Particulate matter SO2 NOx	150 mg/NM ³ 100 ppm 50 ppm
2.	Thermo Pack Heater(200 U)				
3.	D.G.sets (125 KVA & 250KVA) (Stand by)	20 mts	-----		

- 4.4 The process emission through various stacks/ vents of reactors, process vessel shall be confirmed to the following standards.

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector 10-A, Gandhinagar 382010

Phone : (079) 23226295

Fax : (079) 23232156

website : www.gpcb.gov.in



Sr. No	Stack Attached To	Stack Height in Meter	APCM	Probable pollutants	Permissible Limit
1	Reactor Vessels-2 nos	11	Two Stage Alkali Scrubber	HCL	20 mg/NM ³

- 4.5 The concentration of the following parameters in the ambient air within the premises of the industry shall not exceed the limits specified hereunder.

Sr. No.	Pollutant	Time Weighted Average	Concentration in Ambient air
1.	Sulphur Dioxide (SO ₂), µg/M ³	Annual 24 Hours	50 80
2.	Nitrogen Dioxide (NO ₂), µg/M ³	Annual 24 Hours	40 80
3.	Particulate Matter (Size less than 10 µm) OR PM ₁₀ µg/M ³	Annual 24 Hours	60 100
4.	Particulate Matter (Size less than 2.5 µm) OR PM _{2.5} µg/M ³	Annual 24 Hours	40 60

- 4.6 The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted / displayed to facilitate identification.

- 4.7 The Industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.

5. **Authorization For the [Management, Handling & Transboundary Movement] of Hazardous Wastes Form-2 (See rule 5 (4) Form for grant of authorization for occupier or operator handling hazardous waste rule, 2008.**

5.1 Authorization Number- **AWH-57329** and shall valid up to **01/07/2018**.

5.2 **M/S AMI LIFESCIENCES PVT. LIMITED (ID-22811)**, is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at BLOCK NO-82/B, VILL-KHARKHADI, ECP ROAD, KHARKHADI -391450, TA-PADRA, DIST-VADODARA.

Sr. No	Waste	Quantity	Schedule-I, Category	Facility
1	ETP Waste	5.50 MT/year	Sh.-I, 34.3	Collection, Storage, Transportation, Disposal at at common TSDF
	Spent Carbon	2.78 MT/year	Sh.-I, 28.2	Collection, Storage, Transportation, Disposal by incineration at CHWI Site.
	Distillation Residue	2.48 MT/year	Sh.-I, 36.4	
	Discarded Containers	15600 Nos/year	Sh.-I, 33.3	Collection, Storage, Decontamination, Transportation, Disposal by selling to authorized recycler
	Spent Solvent	494 MT/year	Sh.-I, 28.5	Collection, Storage, recovered through in house distillation and reuse in the manufacturing process
2	Used Oil	0.1 MT/year	Sh.-I, 5.1	Collection, Storage, Transportation, Disposal by selling to registered reproprocessors

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

5.1 The authorization is granted to operate a facility for collection, storage, within factory premises, transportation, and ultimate disposal of Hazardous wastes by selling out to registered re-refiners and common TSDF Site developed by M/S NECL, Nandesari.

5.2 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.

5.3 TERMS AND CONDITIONS OF AUTHORISATION:

- a) The applicant shall comply with the provisions of the Environment (Protection) Act - 1986 and the rules made there under.
- b) The authorisation shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board.
- c) The persons authorized shall not rent, lend, sell, and transfer or otherwise transport the hazardous wastes without obtaining prior permission of the Gujarat Pollution Control Board.
- d) Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorisation order by the persons authorized shall constitute a breach of this authorisation.
- e) It is the duty of the authorised person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
- f) An application for the renewal of an authorisation shall be made as laid down in rule 7.
- g) Industry shall submit annual report within 15 days and subsequent by 31st January every year.
- h) Hazardous waste shall be disposed off in accordance with the Haz. Waste (Management, Handling & Transboundary Movement) rules, 2008 and unit shall have to obtain Authorization of this Board for all applicable categories of waste.

6. GENERAL CONDITIONS: -

- 6.1 Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board.
- 6.2 Applicant shall also comply with the general conditions given in annexure I.
- 6.3 The waste generator shall be totally responsible for (I.E. Collection, storage, transportation and ultimate disposal) of the wastes generated.
- 6.4 Records of waste generation, its management and annual return shall be submitted to Gujarat Pollution Control Board in Form – 4 by 31st January of every year.
- 6.5 In case of any accident, details of the same shall be submitted in Form – 5 to Gujarat Pollution Control Board.
- 6.6 As per "Public liability Insurance Act – 91" company shall get Insurance policy, if applicable.
- 6.7 Empty drums and containers of toxic and hazards material shall be treated as per guideline published for "management & handling of discarded containers". Records of the same shall be maintained and forwarded to Gujarat Pollution Control Board regularly.
- 6.8 In no case any kind of hazardous waste shall be imported without prior approval of appropriate authority.
- 6.9 In case of transport of hazardous waste to a facility for (I.E. Treatment, Storage and disposal) existing in a state other than the state where hazardous waste are generated, the occupier shall obtain "No Objection certificate"



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector 10-A, Gandhinagar 382010

Phone : (079) 23226295

Fax : (079) 23232156

website : www.gpcb.gov.in

from the state pollution Control Board, the Committee of the concerned state or Union territory Administration where the facility exists.

- 6.10 Unit shall take all concrete measures to show tangible results in waste generation reduction, avoidance, reuse and recycle. Action taken in this regards shall be submitted within 03 months and also along with Form 4.
- 6.11 Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Hon Supreme Court's order in W.P. No.657 of 1995 dated 14th October 2003.
- 6.12 Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including wastewater and air emissions and solid hazardous waste generated within the factory premises.

For and on behalf of
GUJARAT POLLUTION CONTROL BOARD

(M.V.PATEL)
ENVIRONMENTAL ENGINEER

NO: PG/CCA-VRD-257(3)/GPCB ID 22811/ 162638

Date: 15/10/2013

ISSUE TO:

M/S AMI LIFESCIENCES PVT. LIMITED (ID-22811).

BLOCK NO-82/B, VILL-KHARKHADI,

ECP ROAD,

KHARKHADI -391450,

TA-PADRA, DIST-VADODARA

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation



GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan

Sector - 10-A, Gandhinagar - 382 010

Phone : 3222756, 3222095, 3222096

Gram: CLEANWATER, Fax: (079) 3232156

Website : www.gpcb.gov.in

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorisation under rule 3(c) & 5(5) of the Hazardous Waste (Management and Handling) Rules'1989 & as amended up to year 2003 framed under the Environmental (Protection) Act-1986.

And whereas Board has received consolidated consent application dated: 16/09/2003 for the Consolidated Consent and Authorization (CC & A) of this Board under the provisions / rules of the aforesaid Acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(under the provisions /rules of the aforesaid environmental acts)

To:
M/s. SUNSCOPE LABORATORIES (PVT) LTD,
BLOCK NO. 82/B, ECP ROAD,
AT & PO: KARAKHADI,
TAL: PADRA,
DIST: VADODARA

1. Consent Order No.: 1267 *date of issue 16/1/04*
2. The consents shall be valid up to 16/09/2008 for use of outlet for the discharge of trade effluent & emission due to operation of industrial plant for manufacture of the following items/products:

Sr. No.	Product	Quantity
1	1-ACETYL NAPHTHELEN	2.0 MT/M
2.	2- ACETYL NAPHTHELEN	1.0 MT/M

3. CONDITIONS UNDER THE WATER ACT:

- 3.1 The quantity of trade effluent from the factory shall not exceed 1200 lits/day.
- 3.2 The quantity of Sewage effluent from the factory shall not exceed 100 lits/day

3.3 TRADE EFFLUENT:

- 3.3.1 The concentrated and toxic effluent stream generated shall be segregated and completely incinerated in a well designed incinerator.

3.3.2 The effluent from the industrial unit shall conform to the CETP inlet norms mentioned in column No.1 below (in case of CETP member). The final discharge from CETP shall adhere to the prescribed standards for CETP.

3.3.3 In the event of the effluent from industrial unit not routed through CETP, the applicant shall provide adequate effluent treatment system in order to achieve the quality of the treated effluent as per GPCB norms mentioned in column No.2.

PARAMETERS	CETP INLET NORMS	GPCB NORMS
PH	5 to 9	6.5 TO 8.5
Temperature	45° C	40° C
Colour (pt.co.scale) in units	-	100 units
Suspended Solids	600 mg/l	100 mg/l
Oil and Grease	20 mg/l	10 mg/l
Phenolic Compounds	5 mg/l	1 mg/l
Cyanides	0.2 mg/l	0.2 mg/l
Fluorides	2 mg/l	2 mg/l
Sulphides	2 mg/l	2 mg/l
Ammonical Nitrogen	50 mg/l	50 mg/l
Arsenic	0.2 mg/l	0.2 mg/l
Total Chromium	2 mg/l	2 mg/l
Hexavalent Chromium	1.0 mg/l	0.1 mg/l
Copper	2 mg/l	3 mg/l
Lead	0.2 mg/l	0.1 mg/l
Mercury	0.01 mg/l	0.01 mg/l
Nickel	5 mg/l	3 mg/l
Zinc	5 mg/l	5 mg/l
Cadmium	2 mg/l	2 mg/l
BOD (5 days at 20°C)	500 mg/l	30 mg/l
COD	2000 mg/l	250 mg/l
Chlorides	-	600 mg/l
Sulphates	-	1000 mg/l
Total dissolved Solids	-	2100 mg/l
Free Ammonia	5 mg/l	-
Insecticides/Pesticides	Absent	Absent
Sodium absorption ratio	-	26
Bio-assay test	-	90% Survival of fish after 96 hour in 100% effluent.



GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan

Sector - 10-A, Gandhinagar - 382 010

Phone : 0222756, 3222070, 3222096

Gram: CLEANWATER, Fax: (079) 3232156

Website : www.gpcb.gov.in

3.3.4. The final treated effluent conforming to the above standards shall be discharged into Umraya into CETP EICL.

3.3.5 Domestic effluent shall be disposed off through septic tank/soak pit system or it shall be treated along with industrial effluent or it shall be treated separately to conform to the following standards and shall discharged into GDB under ground drainage system/ on land for plantation or gardening within the factory premises.

BOD (5 days at 20° C)	Less than 20 mg/l
Suspended solids	Less than 30 mg/l
Residual Chlorine	Minimum 0.5 mg/l

4. CONDITIONS UNDER THE AIR ACT:

4.1 The following shall be used as fuel in boiler/furnace/heater respectively.

Sr. No.	Fuel	Quantity/Day
1	L.D.O.	200 Lit/day

4.2 The applicant shall install & operate air pollution control system in order to achieve norms prescribed below.

4.2.1 The flue gas emission through stack attached to boiler/furnace/heater shall conform to the following standards:

Stack No.	Stack attached to	Stack height in Meter	Parameter	Permissible Limit
1.	BABY BOILER	25 FEET	Particulate matter SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm

4.2.2 The Process emission through various stacks/vent of reactors, process, vessel shall conform to the following standards

Stack No.	Stack attached to	Stack height in Meter	Air Pollution Control system	Parameter	Permissible Limit
1	APC SYSTEM OF PFRP REACTOR 1 NOS GLASS LINED RECTOR	10M	WATER SCRUBBER WITH CIRCULATION TANK.	HCL	20mg/NM ³



GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan

Sector-10-A, Gandhinagar - 382 010. Phone : 23222756, 23222095, 23222096
Gram : CLEANWATER Fax : (079) 23232156 • Website : www.gpcb.gov.in

NO: PC / CCA-VRD-257 / 2664

29 SEP 2007

AMENDMENT TO CONSENT ORDER NO. 1267, dtd: 16/01/2004

TO,
M/S. AMI LIFESCIENCES PVT LTD (OLD NAME: M/S. SUNSCOPE LABORATORIES PVT LTD),
BLOCK NO: 82/B, ECP ROAD, PO. KARAKHADI,
TA-PADRA, DIST-VADODARA.

In connection of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under Section-21 of the Air (Prevention and Control of Pollution) Act-1986 and Authorization under rule 3(c) & 5(5) of the Hazardous Waste (Management & Handling) Rules-1989 & as amended up to year 2000 framed under the E (P) Act-1986 the consolidated consent & Authorization (CC & A) granted to M/s. AMI LIFESCIENCES PVT LTD vide this office letter No: PC/VRD-CCA-257/1494, dtd: 17/01/2004 along with Consent Order No: 1267, dtd: 16/01/2004 is being subjected to amendment for following conditions only:

(1) The condition no: 6 mentioned under the head authorization for the Management & Handling Wastes is amended as under:

6. AUTHORIZATION FOR THE MANAGEMENT & HENDLING OF HAZARDOUS WASTES Form-2 (See rule 3 (c) & 5 (5))

6.1 Number of authorization 1267, Date of issued:

6.2 M/S. AMI LIFESCIENCE PVT LTD is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at Block No: 82/B, ECP Road, PO-Karakhadi, Ta-Padra, Dist-Vadodara.

Sr.No.	Waste	Quantity MT/Yr	HW Category	Facility
1.	ETP Waste	0.36 MTA	34.3	Collection, Storage, Transportation, Disposal at TSDF
2.	Used Oil	0.02 MTA	5.1	Collection, Storage, Transportation, Disposal by selling to Registered re-refiners.
3.	Discarded containers	300 Nos./Year	33.3	Collection, Storage, Decontamination,
4.	Distillation Residue	0.60 MTA	36.4	Collection, Storage, Transportation, Disposal by incineration at CHWI
5.	Inorganic Acid	24 MTA	D ₂	Collection, Storage, Transportation, Disposal by sale to authorized users.
6.	Poly Aluminium Chloride	360 MTA	30	Collection, Storage, Transportation, Disposal by sale to authorized users.

Sr No.	Type of Waste	Category	Quantity	Treatment & Disposal
1	ETP Sludge	34.2	5.50 MT/Annum	Collection Storage, Transportation & Disposal at TSDF Site of NECL, Nandesari
2	Discarded Containers / Barrels	33.3	50 Nos / Day	Collection Storage, Decontamination and reuse or sent back to supplier/to scrap vendor
3	Inorganic Acid	D-2	24.00 MT/Annum	Collection Storage, Transportation & Disposal by sell to authorized users
4	Used Oil/ Spent Oil	5.1	100 L/Annum	Collection Storage, Transportation & Disposal by selling to registered refiners/reprocessors
5	Distillation Residue	36.4	3.00 MT/Annum	Collection Storage, Transportation & Disposal by Incineration at CHWIF of NECL, Nandesari
6	Poly aluminum Chloride	30.0	380 MT/Annum	Collection, Storage, Transportation & Disposal by sell to authorized users

INSTEAD OF

Sr. No	Waste	Quantity	Schedule-I, Category	Facility
1	ETP Waste	5.50 MT/year	Sh.-I, 34.3	Collection, Storage, Transportation, Disposal at common TSDF
2	Spent Carbon	2.78 MT/year	Sh.-I, 28.2	Collection, Storage, Transportation, Disposal by incineration at CHWI Site.
3	Distillation Residue	2.48 MT/year	Sh.-I, 36.4	Collection, Storage, Decontamination, Transportation, Disposal by selling to authorized recycler
4	Discarded Containers	15600 Nos/year	Sh.-I, 33.3	Collection, Storage, Decontamination, Transportation, Disposal by selling to authorized recycler
5	Spent Solvent	494 MT/year	Sh.-I, 28.5	Collection, Storage, recovered through in house distillation and reuse in the manufacturing process
6	Used Oil	0.1 MT/year	Sh.-I, 5.1	Collection, Storage, Transportation, Disposal by selling to registered reprocessors

- The other conditions of the Consolidated Consent (CC & A) order No. AWH-57329 dated 26/09/2013 and its validity up to 01/07/2018 issued vide letter No: PC/CCA – VRD – 257(3)/ID-22811 /162638 dated 15/10/2013 shall remain unchanged.
- You are directed to comply these conditions judiciously.

For and on behalf of
GUJARAT POLLUTION CONTROL BOARD


(M.V.PATEL)
Environmental Engineer